



BERLITZ OFFSHORE LIMITED

70 Ubi Crescent , #02-11 Ubi Techpark
 Singapore 408570
 Tel : +65-64751928 Fax : +65-67422778
 EMAIL: sales@metico.com.sg / sales@wecoy.com.sg



BES POWER

Name of vessel	BES POWER	Steering Gear	Electro hydraulic of 5 tons torque
Registry	Singapore	Fuel Oil purifier	1 x SJ10G Mitsubishi self-cleaning fuel oil purifier
Year of Built	2011	Lube oil purifier	1 x Mitsubishi
Type	Deep Sea Tow Tug	Towing Anchor/Winch	ZICOM Double drum waterfall Electro hydraulic winch with remote controls in wheelhose 100 MT line pull with spooling device, 100T @ 0-5mm/min wire capacity 100m @ 52mm dia, workwire 100m @ 48mm dia 150 MT brake holding
Classification	ABS, A1, Towing Vessel, AH, (E), + AMS Anchor Handling Unrestricted Navigation	Tugger Winch	2 x 10 tons line pull @ 0-7.5m/min
Dimensions	40.00m X 11.40m X 4.95m	Wire Storage Reels	5 tons line pull @ 0-12m/min, 1000m x 52mm diameter spare tow wire
GRT / NRT	499 MT / 149 MT	Towing Pins & Sharkjaws	KARMFOCK - 1 set 300T SWL
Draft	4.00m	Anchor Windlass	ZICOM Hydraulic 7.5 t @ 0-12m/min
Clear Deck Space	15 x 8m approx.	Anchors	2 x 780kg stockless anchors
Trial Speed	12 Knots	Anchor Chain	12 shackles x 2, 28 mm diameter chain

SPECIFICATIONS ARE NOT CONTRACTUAL AND SUBJECT TO CHANGE WITHOUT PRIOR NOTICE
 PARTICULARS GIVEN HEREIN ARE ENTIRELY WITHOUT WARRANTY AS TO CORRECTNESS AND INTERESTED PARTIES MUST SATISFY THEMSELVES BY INSPECTION OR OTHER MEANS OF THE DETAILS OF THE VESSEL REFERRED TO



BERLITZ OFFSHORE LIMITED

70 Ubi Crescent , #02-11 Ubi Techpark
 Singapore 408570
 Tel : +65-64751928 Fax : +65-67422778
 EMAIL: sales@metico.com.sg / sales@wecoy.com.sg

Bollard Pull	67 MT	Crane	ZICOM Telescopic model 2.6 ton @ 8.5m with anti 2 block device
Endurance	6800 NM @ 11 Knots	Fendering	Flat bar double plates of 300mm x 25mm cross section welded to sideshell
Accommodation	Fully air-conditioned for 18 men	Radar	2 FURUNO Radar (both ARPA), Koden MDB842 Range 48NM, Gyro stabilized
Firefighting	2 fixed foam/water fire monitor of 3,000 litres/min each @ 120m head capacity. 1 fire pump of 360cubic meter/hr.	SSB	Radio console, FURUNO RC 1800, 250W 24V DC/220V/AC with change over to emergency supply, antenna feeder through insulator, a whip and stand off insulators c/w DSC to meet GMDSS requirement FURUNO SSB Model : FS-2570,250W-200 CHS
FW Maker	1 x 5 T/24 hrs capacity	VHF	2 X FURUNO FM 8800s VHS/FM multi-channel marine radio telephone
Fuel	310 m3	Gyro & Automatic Pilot	1 Gyro Tokimec ES-110 Autopilot ANSCHUTZ NP60
Fresh water	82 m3	Weather Facsimile	1 x FURUNO FAX - 408
Freshwater Transfer	36m3/hout @ 60m Head	Dispersant Booms	2 X 6.5m dispersant booms with dispersant tank
Main Engines	2 x CATERPILLAR 3515 diesel engines producing 2610BHP EACH @ 1600rpm	Sewage Treatment	Sewage Treatment Plant for 20 men
Gearboxes	2 x HITACHI MGH1727	Liferafts	2 x 20 men
Bow Thruster	1 x KAMOMI 335 HP 3.7 T CPP	Oily Water Separator	As per MARPOL with 15 PPM alarm
Fuel Consumption	Approx. 8.5m/t per day @ 9 Knots, 13 5m/t per day @ max speed 12 knots	Rescue Boat	6 men rescue boat units petrol OBM
Generator	3 x 245kw, 380V/3Phase/50Hz		
Propulsion	2 x fixed propellers 2900mm diameter, Nickel aluminum bronze in kort nozzles	Other Navigation Equipments	2 x INMARSAT-C, EPIRB, Radar Transponder, PA system, Navtax Receiver, GPS Navigator, Anemometer, Echo Sounder, Battery Powered telephone, speed Log, SSAS, AIS & SP Telephone

**SPECIFICATIONS ARE NOT CONTRACTUAL AND SUBJECT TO CHANGE WITHOUT PRIOR NOTICE
 PARTICULARS GIVEN HEREIN ARE ENTIRELY WITHOUT WARRANTY AS TO CORRECTNESS AND INTERESTED PARTIES MUST
 SATISFY THEMSELVES BY INSPECTION OR OTHER MEANS OF THE DETAILS OF THE VESSEL REFERRED TO**




BERLITZ OFFSHORE LIMITED

70 Ubi Crescent, #02-11 Ubi Techpark

Singapore 408570

Tel : +65-64751928 Fax : +65-67422778

EMAIL: sales@metico.com.sg / sales@wecoy.com.sg



SPECIFICATIONS ARE NOT CONTRACTUAL AND SUBJECT TO CHANGE WITHOUT PRIOR NOTICE
 PARTICULARS GIVEN HEREIN ARE ENTIRELY WITHOUT WARRANTY AS TO CORRECTNESS AND INTERESTED PARTIES MUST
 SATISFY THEMSELVES BY INSPECTION OR OTHER MEANS OF THE DETAILS OF THE VESSEL REFERRED TO